

## KERALA CO-OPERATIVE MILK MARKETING FEDERATION LTD. CENTRAL PRODUCTS DAIRY, PUNNAPRA P.O, ALAPPUZHA - 688 004.

Tel: 0477-2255900, 2255999,2255921, E-mail: cpd@milma.com

GST:32AAAAK5375M4ZD

CPD/Engg/847/2021-22

23.12.2021

## **CORRIGENDUM**

With reference to the tender notice no. CPD/Engg/847/2021-22 dtd 08.12.2021 the last date for the submission of quotations is extended to 04.01.2022, 2 PM. The sealed quotations shall be sent through postal/courier or through person (Quotations sent by E - mail will not be accepted).

The quotations will be opened at 3.00 PM on 04.01.2022 in the presence of those who wish to be present at the time of opening.

EMD to be paid is Rs. 4,000/- can be paid through NEFT/ online payment to A/C No. 57036448585, IFSC Code SBIN0070215, State Bank of India, KCMMF Ltd., Punnapra, Alappuzha - 4.

Thanking you,

Yours sincerely.

MANAGER.



## KERALA CO-OPERATIVE MILK MARKETING FEDERATION LTD. CENTRAL PRODUCTS DAIRY, PUNNAPRA P.O, ALAPPUZHA – 688 004.

Tel: 0477-2255900, 2255999,2255921, E-mail: cpd@milma.com

GST:32AAAAK5375M4ZD

CPD/Engg/847/2021-22

08.12.2021

Sir,

Sub: Enquiry for the supply, installation and commissioning of two numbers of TTO Printer.

Please send your offer for the supply, installation and commissioning of the TTO printer of following specification and terms and conditions.

TTO Printer Simple change ribbon cassette for fast and easy ribbon replacement. Simple ribbon path for fast changeovers. Bluetooth connectivity to control printer from an android phone. Airless operation. High quality prints, minimum 120 PPM. Built in code assurance software to reduce operator induced errors, decreasing unnecessary product waste and rework. Continuous and intermittent modes in the same machine. Continuous mode: Print area: max. 32mmX100mm Print speed: 40 mm/s to 500 mm/s Intermittent mode: Print area: Max. 32mmX47mm Print speed: 50 mm/s to 300 mm/s S' Touch screen Print preview for verifying selected code, On board diagnostics, 3 Level of password protection, Multiple language support. In m gap between prints for reducing ribbon wastage. Ribbon break detection, end of reel detection, Ribbon consumption indication, ribbon saving mode. Full downloadable font support using windows, True type fonts, fixed and variable text and numeric data, User entered text and numeric data, flexible date/time formats, auto best before date calculations, flexible date/time formats, auto best before date calculations, flexible date/time formats, provision to print bar codes and QR codes. Ribbon should be available in variety grades and colours. Storage: Internal memory 30 MB expandable to 4 GB. Message uploads through USB, Ethernet and Bluetooth. External outputs: fault, warning, busy, printing. Power supply 100-240 V AC, 50 HZ, 24 V (120W) 5 A Operating Temperature: 0°C-40 °C  Cost of consumables for next five years:  Ribbon No. of print from one roll: (Specify the dimension of the roll) Others  Cost of spares	SI. no	Item Description	Qty	Rate
Simple change ribbon cassette for fast and easy ribbon replacement.  Simple ribbon path for fast changeovers.  Bileetooth connectivity to control printer from an android phone.  Airless operation.  High quality prints, minimum 120 PPM.  Built in code assurance software to reduce operator induced errors, decreasing unnecessary product waste and rework.  Continuous and intermittent modes in the same machine.  Continuous mode:  Print area: max. 32mmX100mm Print speed: 40 mm/s to 500 mm/s  Intermittent mode:  Print area: Max. 32mmX47mm Print speed: 50 mm/s to 300 mm/s  Mitting language support.  I mm gap between prints for reducing ribbon wastage.  Ribbon break detection, end of reel detection, Ribbon consumption indication, ribbon saving mode.  Full downloadable font support using windows, True type fonts, fixed and variable text and numeric data, User entered text and numeric data, flexible date/time formats, auto best before date calculations, flexible shift code formats, provision to print bar codes and QR codes.  Ribbon should be available in variety grades and colours.  Storage: Internal memory 30 MB expandable to 4 GB.  Message uploads through USB, Ethernet and Bluetooth.  External outputs: fault, warning, busy, printing.  Power supply 100-240 V AC, 50 HZ, 24 V (120W) 5 A  Operating Temperature: 0%C-40 %C  Cost of consumables for next five years:  Ribbon No. of print from one roll:				
<ul> <li>Storage: Internal memory 30 MB expandable to 4 GB.</li> <li>Message uploads through USB, Ethernet and Bluetooth.</li> <li>External outputs: fault, warning, busy, printing.</li> <li>Power supply 100-240 V AC, 50 HZ, 24 V (120W) 5 A</li> <li>Operating Temperature: 0°C-40 °C</li> </ul> Cost of consumables for next five years: <ul> <li>Ribbon</li> <li>No. of print from one roll: (Specify the dimension of the roll)</li> <li>Others</li> <li>1 No</li> </ul> Cost of spares		<ul> <li>TTO Printer</li> <li>Simple change ribbon cassette for fast and easy ribbon replacement.</li> <li>Simple ribbon path for fast changeovers.</li> <li>Bluetooth connectivity to control printer from an android phone.</li> <li>Airless operation.</li> <li>High quality prints, minimum 120 PPM.</li> <li>Built in code assurance software to reduce operator induced errors, decreasing unnecessary product waste and rework.</li> <li>Continuous and intermittent modes in the same machine.</li> <li>➤ Continuous mode:</li></ul>		Rate
1 Ribbon No. of print from one roll: (Specify the dimension of the roll) 2 Others 1 No Cost of spares		<ul> <li>Storage: Internal memory 30 MB expandable to 4 GB.</li> <li>Message uploads through USB, Ethernet and Bluetooth.</li> <li>External outputs: fault, warning, busy, printing.</li> <li>Power supply 100-240 V AC, 50 HZ, 24 V (120W) 5 A</li> </ul>		
1 Ribbon No. of print from one roll: (Specify the dimension of the roll) 2 Others 1 No Cost of spares	Cost	of consumables for next five years:	the same of the sa	-
No. of print from one roll: (Specify the dimension of the roll)  2 Others  Cost of spares		Ribbon	1 No	P
Cost of spares				
			1 No	
1   1No		of spares	1No	T

## **Terms and Conditions**

1. The rate quoted should be inclusive of all fittings and accessories to connect the printer in our pouch filling machines.

2. The cost of printer quoted as FOR site basis, including GST, freight, P&F, transits risk, loading, installation charges, commissioning charges, etc. The unloading charges from our site will be paid by us.

3. The offer should be valid for a period of minimum three months from the date of your offer.

4. The items supplied to be guaranteed for performance and quality for two years. If any item found damaged, bad quality, etc to be replaced free of cost.

5. Free service for 24 months including spares.

6. 95% payment will be released within 15 days on satisfactory installation of printer at our site. Remaining 5% will be release against a bank guarantee for the same amount from a nationalized bank/scheduled/new generation bank. If not will release only after the guarantee period of 24months.

7. An Earnest Money Deposit (EMD) of Rs. 4,000/- shall be remitted either by cash/ NEFT (State Bank Of India, Current Account Number 57036448585, Punnapra, Alappuzha-4, IFSC Code SBIN0070215) in favour of Manager, Central Products Dairy, Alappuzha. The details shall be enclosed along with the offer. The amount shall be returned only after finalization of the tender.

8. Preferably sealed quotations shall reach our office on or before 2.00 P.M on 22.12.2021 and will be opened at 3.30 P.M on the same day.

Yours sincerely,

MANAGER.