

# KERALA CO-OPERATIVE MILK MARKETING FEDERATION LTD. "MILMA BHAVAN", PATTOM PALACE P.O, THIRUVANANTHAPURAM - 695 004

BID REF No.454/PC:CE/CI(FL)/MLP/2020

BID DOCUMENT FOR SUPPLY OF SS MAT FINISH AISI 304 AMUL DRAIN TRAPS FOR MALAPPURAM DAIRY PLANT AT MOORKANAD, MALAPPURAM DISTRICT.

### BID FORM

1	Registered name of bidder	
2	Address	Office Address
3	Telephone	Land Phone :  Mobile :
		E mail :
		Fax :

## <u>KERALA CO-OPERATIVE MILK MARKETING FEDERATION LIMITED</u> 'Milma Bhavan', Pattom, Thiruvananthapuram

#### **INVITATION TO BID**

- 1. The Kerala Co-operative Milk Marketing Federation Limited, invites tender for the Supply of SS AISI 304 amul drain traps for Malappuram Dairy Plant at Moorkanad, Malappuram District. Interested eligible Bidders may obtain further information from the office of the Kerala Co-operative Milk Marketing Federation Ltd.
- 2. Interested parties can download the bid document from our website and submit their sealed bids as per the details indicated below:

a. Bid reference : No.454/PC:CE/CI(FL)/MLP/2020.

b. Tender download : Can be downloaded from our website

www.milma.com on free of cost

c. EMD : Rs.3,500/-.

d. Last date and time of

submission of bids : 16.03.2020 at 14.00 hrs.

e. Bid opening : 16.03.2020 at 14.30 hrs.

f. Address for communication

and place of bid opening : KCMMF Ltd., Milma Bhavan, Pattom,

Trivandrum.

g. Bid validity : 30 days from 16.03.2020

- 3. All bids must be accompanied by a Bid security (Earnest money) as specified above and must be delivered to the above office on or before the last date and time of receipt of bids as given above.
- 4. Bids will be opened in the presence of Bidder's representatives who choose to attend the bid opening at the office of KCMMF, Pattom, Thiruvananthapuram 695 004 on the date and time specified above.
- 5. KCMMF shall not take any responsibility for any sort of delay in receipt of the bidding document if it is send by post/courier.

Thiruvananthapuram Date: 25.02.2020.

MANAGING DIRECTOR

## BID DOCUMENT FOR THE SUPPLY OF SS MAT FINISH AISI 304 AMUL DRAIN TRAPS FOR FOR MALAPPURAM DAIRY PLANT AT MOORKANAD, MALAPPURAM DISTRICT.

KCMMF invite sealed and super scribed quotation for the manufacture and supply of SS mat finish AISI 304 amul drain traps for Malappuram Dairy Plant at Moorkanad, Malappuram District as per the drawings and specifications enclosed herewith.

#### 1. <u>Item Descriptions and Quantity</u>

SL. No.	Description	Qty. Required
1	SS mat finish AISI 304 amul drain traps with SS top grill.	48 Nos

#### 2. Price Basis

The rate quoted should be inclusive of GST, transportation up to project site, and all incidental charges. The material should be delivered to the above project site at the following address:-

Engineer In charge Malappuram Dairy Project (Milma) Moorkkanad P.O, Kolathoor Via Near AMLP School, Pottikuzhi Malappuram -679338.

#### 3. Rejection

The Federation reserves the right to reject the materials either in full or in part, if at the time of delivery it is noticed that the items supplied do not conform to the descriptions and the quality stipulated in the specification enclosed herewith.

#### 4. Payment terms.

100% payment will be made within 15 days from the date of safe receipt of materials at site. On receipt of materials at site, it will be verified by our engineer in charge whether the material is conforming to the specifications and drawing enclosed in the Purchase Order.

#### 5. Guarantee

The supplier shall guarantee to replace without any extra cost, the items supplied or part thereof if found defective due to bad designing, workmanship for substandard material within 6 (Six) months from the date of supply. The entire expenditure towards replacement shall be borne by you.

#### 6. Delivery period

Complete items shall be supplied within 60 days from the date of receipt of confirmed order.

#### 7. Validity

The offer should be valid for 30 (Thirty) days from the date of opening of the quotation.

#### 8. Earnest Money Deposit

The offer shall be accompanied by an Earnest Money Deposit of Rs.3,500/- (Rupees three thousand five hundred only) in the form of a crossed demand draft drawn in favour of the Managing Director, Kerala Co-operative Milk Marketing Federation Ltd. Payable at Trivandrum.

The Earnest Money Deposit of the unsuccessful bidders shall be returned after the finalization of quotation. No interest will be paid for the period during which the Earnest Money lies in deposit with the Federation.

The Earnest Money of successful bidder will be returned after 6 months from the date of supply in all respects.

The quotations without Earnest Money Deposit are liable to be rejected.

#### 9. General

The Federation does not bind itself to accept the lowest offer and reserve the right to accept any offer/offers in part or full without assigning any reason. The bidder will not have any claim in this regard.

The sealed and superscripted offers should reach the office of the Managing Director, Kerala Co-operative Milk Marketing Federation Ltd. Milma Bhavan, Pattom, Trivandrum 695 004 on or before 16.03.2020, 14.00 hrs and the same will be opened at 14.30 hrs on the same day in the presence of interested bidders.

The Managing Director, reserve the right to reject any or all the quotations without assisting any reasons what so ever.

#### **SPECIFICATION**

#### 1. SS AISI 304 MAT FINISH AMUL DRAIN TRAPS WITH SS TOP GRILL

The traps shall be manufactured from SS AISI 304 Grade as per enclosed drawing. The trap shall be of the design and size shown in the drawing enclosed.

The design shall be as per the following requirements:

- 1. Very hygienic designed main body from dia 250mm (10)" pipe.
- 2. Provide 8mm thick top plate to withstand heavy load/trolley movement.
- 3. 10mm slots shall be provided to filter large particles on the top plate.
- 4. Provide 8mm hole strainer inside the body to prevent small particles.
- 5. Inside filter shall be circular shape having 8mm diameter holes and dia 150mm pipes which is having 25mm holes to filter smaller particles.
- 6. The trap is hygienically designed in such way that certain amount of water remains in it (water seal) to prevent foul smell and entering of insects through the drainage pipe line.

